

Grade 4

PA Common Core Standard	PA Eligible Content	Common Core State Standard
<p>2.1.4.B.1 Apply place value concepts to show an understanding of multi-digit whole numbers.</p>	<p>M04.A-T.1.1.1 Demonstrate an understanding that in a multi-digit whole number (through 1,000,000) a digit in one place represents ten times what it represents in the place to its right. <i>Example: Recognize that in the number 770, the 7 in the hundreds place is ten times the 7 in the tens place.</i></p>	<p>4.NBT.1 Recognize that in a multi-digit whole number, a digit in one place represents ten times what it represents in the place to its right. <i>For example, recognize that $700 \div 70 = 10$ by applying concepts of place value and division.</i></p>
	<p>M04.A-T.1.1.2 Read and write whole numbers in expanded, standard and word form through 1,000,000.</p>	<p>4.NBT.2 Read and write multi-digit whole numbers using base-ten numerals, number names, and expanded form. Compare two multi-digit numbers based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.</p>
	<p>M04.A-T.1.1.3 Compare two multi-digit numbers through 1,000,000 based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols.</p>	
	<p>M04.A-T.1.1.4 Round multi-digit whole numbers (through 1,000,000) to any place.</p>	<p>4.NBT.3. Use place value understanding to round multi-digit whole numbers to any place.</p>
<p>2.1.4.B.2 Use place value understanding and properties of operations to perform multi-digit arithmetic.</p>	<p>M04.A-T.2.1.1 Add and subtract multi-digit whole numbers (limit sums and subtrahends up to and including 1,000,000).</p>	<p>4.NBT.4 Fluently add and subtract multi-digit whole numbers using the standard algorithm.</p>
	<p>M04.A-T.2.1.2 Multiply a whole number of up to four digits by a one-digit whole number, and multiply 2 two-digit numbers.</p>	<p>4.NBT.5. Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays,</p>
	<p>M04.A-T.2.1.3 Divide up to four-digit dividends by one-digit divisors with answers written as whole-number quotients and remainders.</p>	<p>4.NBT.6. Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.</p>
	<p>M04.A-T.2.1.4 Estimate the answer to addition, subtraction and multiplication problems using whole numbers through six digits (for multiplication, no more than 2 digits \times 1 digit, excluding powers of 10).</p>	<p>NO MATCH</p>

Grade 4

PA Common Core Standard	PA Eligible Content	Common Core State Standard
<p>2.1.4.C.1 Extend the understanding of fractions to show equivalence and ordering.</p>	<p>M04.A-F.1.1.1 Recognize and generate equivalent fractions.</p>	<p>4.NF.1 Explain why a fraction a/b is equivalent to a fraction $(n \times a)/(n \times b)$ by using visual fraction models, with attention to how the number and size of the parts differ even though the two fractions themselves are the same size. Use this principle to recognize and generate equivalent fractions.</p>
	<p>M04.A-F.1.1.2 Compare two fractions with different numerators and different denominators (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100) using the symbols $>$, $=$, or $<$, and justify the conclusions.</p>	<p>4.NF.2. Compare two fractions with different numerators and different denominators, e.g., by creating common denominators or numerators, or by comparing to a benchmark fraction such as $1/2$. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using a visual fraction model.</p>
<p>2.1.4.C.2 Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers.</p>	<p>M04.A-F.2.1.1 Add and subtract fractions with a common denominator (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100; answers do not need to be reduced; no improper fractions as the final answer).</p>	<p>NO MATCH</p>
	<p>M04.A-F.2.1.2 Decompose a fraction or a mixed number into a sum of fractions with the same denominator (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100), recording the decomposition by an equation. Justify decompositions (for example, by using a visual fraction model). <i>Example 1:</i> $3/8 = 1/8 + 1/8 + 1/8$ OR $3/8 = 1/8 + 2/8$ <i>Example 2:</i> $2 \frac{1}{12} = 1 + 1 + 1/12 = 12/12 + 12/12 + 1/12$</p>	<p>4.NF.3. Understand a fraction a/b with $a > 1$ as a sum of fractions $1/b$. b. Decompose a fraction into a sum of fractions with the same denominator in more than one way, recording each decomposition by an equation. Justify decompositions, e.g., by using a visual fraction model. <i>Examples:</i> $3/8 = 1/8 + 1/8 + 1/8$; $3/8 = 1/8 + 2/8$; $2 \frac{1}{8} = 1 + 1 + 1/8 = 8/8 + 8/8 + 1/8$.</p>
	<p>M04.A-F.2.1.3 Add and subtract mixed numbers with a common denominator (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100; no regrouping with subtraction; fractions do not need to be reduced; no improper fractions as the final answers).</p>	<p>4.NF.3. Understand a fraction a/b with $a > 1$ as a sum of fractions $1/b$. c. Add and subtract mixed numbers with like denominators, e.g., by replacing each mixed number with an equivalent fraction, and/or by using properties of operations and the relationship between addition and subtraction.</p>
Grade 4		
<p>PA Common Core Standard</p>	<p>PA Eligible Content</p>	<p>Common Core State Standard</p>

	M04.A-F.2.1.4 Solve word problems involving addition and subtraction of fractions referring to the same whole or set and having like denominators (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100).	4.NF.3. Understand a fraction a/b with $a > 1$ as a sum of fractions $1/b$. d. Solve word problems involving addition and subtraction of fractions referring to the same whole and having like denominators, e.g., by using visual fraction models and equations to represent the problem.
	M04.A-F.2.1.5 Multiply a whole number by a unit fraction (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100; final answers need not be reduced or written as a mixed number). <i>Example: $5 \times (1/4) = 5/4$.</i>	4.NF.4. Apply and extend previous understandings of multiplication to multiply a fraction by a whole number. b. Understand a multiple of a/b as a multiple of $1/b$, and use this understanding to multiply a fraction by a whole number. <i>For example, use a visual fraction model to express $3 \times (2/5)$ as $6 \times (1/5)$, recognizing this product as $6/5$. (In general, $n \times (a/b) = (n \times a)/b$.)</i>
	M04.A-F.2.1.6 Multiply a whole number by a non-unit fraction (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100; final answers need not be reduced or written as a mixed number). <i>Example: $3 \times (5/6) = 15/6$.</i>	
	M04.A-F.2.1.7 Solve word problems involving multiplication of a whole number by a fraction (denominators limited to 2, 3, 4, 5, 6, 8, 10, 12, and 100).	4.NF.4. Apply and extend previous understandings of multiplication to multiply a fraction by a whole number. c. Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. <i>For example, if each person at a party will eat $3/8$ of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed?</i>
	NO MATCH	4.NF.3 Understand a fraction a/b with $a > 1$ as a sum of fractions $1/b$. a. Understand addition and subtraction of fractions as joining and separating parts referring to the same whole.
	NO MATCH	4.NF.4. Apply and extend previous understandings of multiplication to multiply a fraction by a whole number. a. Understand a fraction a/b as a multiple of $1/b$. <i>For example, use a visual fraction model to represent $5/4$ as the product $5 \times (1/4)$, recording the conclusion</i>
Grade 4		
PA Common Core Standard	PA Eligible Content	Common Core State Standard

2.1.4.C.3 Connect decimal notation to fractions, and compare decimal fractions (base 10 denominator, e.g., 19/100).	M04.A-F.3.1.1 Add two fractions with respective denominators 10 and 100. <i>Example: Express 3/10 as 30/100, and add 3/10 + 4/100 = 30/100 +</i>	4.NF.5 Express a fraction with denominator 10 as an equivalent fraction with denominator 100, and use this technique to add two fractions with respective denominators 10 and 100. <i>For example, express 3/10 as</i>
	M04.A-F.3.1.2 Use decimal notation for fractions with denominators 10 or 100. <i>Example: Rewrite 0.62 as 62/100 and vice versa.</i>	4.NF.6. Use decimal notation for fractions with denominators 10 or 100. <i>For example, rewrite 0.62 as 62/100; describe a length as 0.62 meters; locate 0.62 on</i>
	M04.A-F.3.1.3 Compare two decimals to hundredths using the symbols >, =, or <, and justify the conclusions.	4.NF.7. Compare two decimals to hundredths by reasoning about their size. Recognize that comparisons are valid only when the two decimals refer to the same whole. Record the results of comparisons with the symbols >, =, or <, and justify the conclusions, e.g., by using a visual model.
2.2.4.A.1 Represent and solve problems involving the four operations.	M04.B-O.1.1.1 Interpret a multiplication equation as a comparison. Represent verbal statements of multiplicative comparisons as multiplication equations. <i>Example 1: Interpret 35 = 5 × 7 as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. Example 2: Know that the statement 24 is 3 times as many as 8 can be represented by the equation 24 = 3 × 8 or</i>	4.OA.1. Interpret a multiplication equation as a comparison, e.g., interpret 35 = 5 × 7 as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. Represent verbal statements of multiplicative comparisons as multiplication equations.
	M04.B-O.1.1.2 Multiply or divide to solve word problems involving multiplicative comparison, distinguishing multiplicative comparison from additive comparison. <i>Example: Know that 3 × 4 can be used to represent that Student A has 4 objects and Student B has 3 times as many objects, and not just 3 more objects.</i>	4.OA.2. Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison.
Grade 4		
PA Common Core Standard	PA Eligible Content	Common Core State Standard
	M04.B-O.1.1.3 Solve multi-step word problems posed with whole numbers using the four operations. Answers will be either whole number or have remainders that must be interpreted yielding a final answer that is a whole number. Represent these problems using equations with a symbol or letter standing for the unknown quantity.	4.OA.3. Solve multistep word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.

	M04.B-O.1.1.4 Identify the missing symbol (+, −, ×, ÷, =, <, >) that makes a number sentence true (single digit divisor only).	NO MATCH
2.2.4.A.2 Develop and/or apply number theory concepts to find factors and multiples.	M04.B-O.2.1.1 Find all factor pairs for a whole number in the range 1 through 100. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the interval 1 through 100 is a multiple of a given one- digit number. Determine whether a given whole number in the interval 1 through 100 is prime or composite.	4.OA.4 Find all factor pairs for a whole number in the range 1–100. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the range 1–100 is a multiple of a given one-digit number. Determine whether a given whole number in the range 1–100 is prime or composite.
2.2.4.A.4 Generate and analyze patterns using one rule.	M04.B-O.3.1.1 Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. <i>Example 1: Given the rule “Add 3” and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. Example 2: Given the rule “increase the number of sides by 1” and starting with a triangle, observe that the tops of the shapes alternate between a side and a vertex.</i>	4.OA.5 Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. <i>For example, given the rule “Add 3” and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. Explain informally why the numbers will continue to alternate in this way.</i>
	M04.B-O.3.1.2 Determine the missing elements in a function table (limit to +, − or × and to whole numbers or money).	NO MATCH
Grade 4		
PA Common Core Standard	PA Eligible Content	Common Core State Standard
	M04.B-O.3.1.3 Determine the rule for a function given a table (limit to +, − or × and to whole numbers).	NO MATCH
2.3.4.A.1 Draw lines and angles and identify these in two-dimensional figures.	M04.C-G.1.1.1 Draw points, lines, line segments, rays, angles (right, acute, obtuse), and perpendicular and parallel lines. Identify these in two-dimensional figures.	4.G.1 Draw points, lines, line segments, rays, angles (right, acute, obtuse), and perpendicular and parallel lines. Identify these in two-dimensional figures.

<p>2.3.4.A.2 Classify two-dimensional figures by properties of their lines and angles.</p>	<p>M04.C-G.1.1.2 Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles.</p>	<p>4.G.2. Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles.</p>
<p>2.3.4.A.3 Recognize symmetric shapes and draw lines of symmetry.</p>	<p>M04.C-G.1.1.3 Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into mirroring parts. Identify line-symmetric figures and draw lines of symmetry (up to two lines of symmetry).</p>	<p>4.G.3. Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line-symmetric figures and draw lines of symmetry.</p>
<p>2.4.4.A.1 Solve problems involving measurement and conversions from a larger unit to a smaller unit.</p>	<p>M04.D-M.1.1.1 Know relative sizes of measurement units within one system of units including standard units (in., ft, yd, mi; oz., lb; c, pt, qt, gal), metric units (cm, m, km; g, kg; mL, L), and time (sec, min, hr, day, wk, mo, yr). Within a single system of measurement, express measurements in a larger unit in terms of a smaller unit. A table of equivalencies will be provided. <i>Example 1: Know that 1 kg is 1,000 times as heavy as 1 g. Example 2: Express the</i></p>	<p>4.MD.1 Know relative sizes of measurement units within one system of units including km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec. Within a single system of measurement, express measurements in a larger unit in terms of a smaller unit. Record measurement equivalents in a two-column table. <i>For example, know that 1 ft is 12 times as long as 1 in. Express the length of a 4 ft snake as 48 in. Generate a conversion table for feet and inches listing the number pairs (1, 12), (2, 24), (3, 36), ...</i></p>

Grade 4

PA Common Core Standard	PA Eligible Content	Common Core State Standard
	<p>M04.D-M.1.1.2 Use the four operations to solve word problems involving distances, intervals of time (such as elapsed time), liquid volumes, masses of objects; money, including problems involving simple fractions or decimals; and problems that require expressing measurements given in a larger unit in terms of a smaller unit.</p>	<p>4.MD.2. Use the four operations to solve word problems involving distances, intervals of time, liquid volumes, masses of objects, and money, including problems involving simple fractions or decimals, and problems that require expressing measurements given in a larger unit in terms of a smaller unit. Represent measurement quantities using diagrams such as number line diagrams that feature a measurement</p>
	<p>M04.D-M.1.1.3 Apply the area and perimeter formulas for rectangles in real world and mathematical problems (may include finding a missing side length). Whole numbers only. The formulas will be provided.</p>	<p>4.MD.3. Apply the area and perimeter formulas for rectangles in real world and mathematical problems. <i>For example, find the width of a rectangular room given the area of the flooring and the length, by viewing the area formula as a multiplication equation with an</i></p>

	M04.D-M.1.1.4 Identify time (analog or digital) as the amount of minutes before or after the hour. <i>Example 1: 2:50 is the same as 10 minutes before 3:00. Example 2: Quarter past six is the same as</i>	NO MATCH
2.4.4.A.2 Translate information from one type of data display to another.	M04.D-M.2.1.3 Translate information from one type of display to another (table, chart, bar graph, or pictograph).	NO MATCH
2.4.4.A.4 Represent and interpret data involving fractions using information provided in a line plot	M04.D-M.2.1.1 Make a line plot to display a data set of measurements in fractions of a unit (e.g., intervals of 1/2, 1/4, 1/8).	4.MD.4 Make a line plot to display a data set of measurements in fractions of a unit (1/2, 1/4, 1/8). Solve problems involving addition and subtraction of fractions by using information presented in line plots. <i>For example, from a line plot find and interpret the difference in length between the longest and shortest specimens in an insect collection.</i>
	M04.D-M.2.1.2 Solve problems involving addition and subtraction of fractions by using information presented in line plots (line plots must be labeled with common denominators, such as 1/4, 2/4, 3/4).	
2.4.4.A.6 Measure angles and use properties of adjacent angles to solve problems.	M04.D-M.3.1.1 Measure angles in whole-number degrees using a protractor. With the aid of a protractor, sketch angles of specified measure.	4.MD.6 Measure angles in whole-number degrees using a protractor. Sketch angles of specified measure.
Grade 4		
PA Common Core Standard	PA Eligible Content	Common Core State Standard
	M04.D-M.3.1.2 Solve addition and subtraction problems to find unknown angles on a diagram in real world and mathematical problems. (Angles must be adjacent and non-overlapping.)	4.MD.7. Recognize angle measure as additive. When an angle is decomposed into non-overlapping parts, the angle measure of the whole is the sum of the angle measures of the parts. Solve addition and subtraction problems to find unknown angles on a diagram in real world and mathematical problems, e.g., by using an equation with a symbol for the unknown angle measure.
	NO MATCH	4.MD.5. Recognize angles as geometric shapes that are formed wherever two rays share a common endpoint, and understand concepts of angle measurement: a. An angle is measured with reference to a circle with its center at the common endpoint of the rays, by considering the fraction of the circular arc between the points where the two rays intersect the circle. An angle that turns through 1/360 of a circle is called a “one-degree angle,” and can be used to measure angles. b. An angle that turns through n one-degree angles is said to have an angle measure of n degrees.